

### Thomson Seat posts

Thomson's posts are 40% stronger in ultimate strength tests than the 75 strongest seat posts on the market. They also have double the fatigue life of those same 75 posts. The 41mm clamp design protects your saddle rails from permanently bending from impact loads.

Thomson posts incorporate a "bending fuse" to prevent catastrophic failure.

The elite post has been elliptically extruded from 7000 series aluminium.

The new masterpiece series is 30grams (155grams) lighter than the already light Elite post.

Thomson achieved this by machining the post all over rather than just extruding the aluminium.



Size chart for Thomson Seatpost

Elite		Masterpiece	
Diameter	Length	Diameter	Length
25.0	330		
25.4	330#		
26.6	330		
26.8	330*		
27.0	410		
27.2	330/410*#	27.2	240*/330*
27.4	410		
28.6	330*		
29.0	410#		
29.4	410		
29.8	410		
30.0	410*		
30.8	410		
30.9	410*#	30.9	350*
31.6	410*#	31.6	350*
31.8	410		
32.4	367*		

\* Also Available in Set-back

# Also Available in Silver



### FSA K-Force Lite MTC

- One Piece continuous 3K weave carbon Fibre
- M5 Cr-Mo and Stainless steel Hardware
- New Minimal Top Clamp (MTC)

Available with

- 32mm increased setback for correct fit and saddle support
- 25mm setback
- 0° for maximum strength to weight ration
- Diameter sizes 27.2 and 31.6 x 350mm length
- Weight From 210 grams



### FSA SL-K

- UD carbon shaft tube w/2 bolt SBS alloy Head (SB20)
- UD carbon shaft tube w/new minimal To Clamp (MTC) (SB0)
- CrMo hardware
- Available in 20mm setback
- Available in 0° for maximum strength to weight ration
- Diameter sizes 27.2 and 31.6 x 350mm length
- Weight From 230 grams



### FSA XC-190 Super-lite MTC

- AL2014 3D forged and CNC shaft
- M5 Cr-Mo and Stainless steel Hardware
- New forged Alloy Minimal Top Clamp (MTC)
- 0° for maximum strength to weight ration
- Diameter sizes 27.2, 31.6 and 34.9 x 400mm length
- Weight From 225 grams



### FSA SL-250 SBS Limited Edition White

- 2 Piece Construction
- AL6066 CNC machined shaft Forged 2 bolt SBS Top Clamp
- Directionally butted tube
- Cr-Mo hardware
- 20mm Setbaack
- Diameter sizes 27.2, and 31.6 x 350mm length
- Weight From 270 grams



### FSA SL-280

- 2 Piece Construction
- AL6061 alloy shaft & Forged alloy head
- Setback single bolt Nanao-Pro adjustable saddle clamp for accurate set-up
- Cr-Mo hardware
- 20mm Setbaack
- Diameter sizes 27.2, and 31.6 x 350mm length
- Weight From 290 grams



### IXS SP05 Seat Post

- Forged 1 piece Al-2014 T6
- Forged alloy head
- Cr-Mo hardware
- Diameter sizes 26.8, 27.0, 27.2 and 31.6mm x 350mm long
- Weight From 254grm
- Colour; Black

### IXS SP15 Seat Post

- Forged 1 piece Al-6061 T6
- Forged alloy head.
- Diameter sizes 26.8, 27.0, 27.2, 30.0 and 31.6mm x 350mm length
- Weight From 254grm
- Colour; Silver with black Head



SP05



SP15



### Gravity Lite

- 0° Setback for maximum strength to weight
- Freeride stong but XC light
- 1 piece mast and head is super durable
- 3D forged and CNC butted AL2014 Shaft
- Quadruple-buttet tube
- DATA (Dual Adjust Tilt Angle) Allows over 60 degree tilt adjustment range
- M5 Cr-Mo and Stainless Steel hardware
- Diameter sizes 27.2 and 31.6 x 350mm length
- Weight From 258 grams



### Gravity DH

- 0° Setback for maximum strength to weight
- Angular Contact clamps accept 8 and 9mm rails
- 1 piece mast and head is super durable
- 3D forged and CNC directional butted AL2014 Shaft
- DATA (Dual Adjust Tilt Angle) Allows over 60 degree tilt adjustment range
- M6 Cr-Mo hardware
- Diameter sizes 27.2, 30.9 and 31.6 x 350mm length
- Weight From 294 gram



### Gravity Gap

- 0° Setback for maximum strength to weight
- 1 piece mast and head is super durable
- 3D forged and CNC butted AL2014 Shaft
- Quadruple-buttet tube
- DATA (Dual Adjust Tilt Angle) Allows over 60 degree tilt adjustment range
- M5 Cr-Mo hardware
- Diameter sizes 27.2 and 31.6 x 350mm length
- Weight From 270 grams



# NITTO

## Nitto S65

Look out for the S65 posts on a fixie near you !

- Classic Design
- Made in Japan
- One-piece cold-forged Alloy
- Forged alloy head.
- Single-bolt clamp
- 25mm Setbaack
- Diameter sizes 27.2mm x 250mm Length
- Colour Polished Silver



# THOMSON®

## Thomson Seat Clamps

The Thomson Seatpost Collar has several features that make it distinct. The collar utilizes the Thomson Seatpost bolt, washer and barrel nut system that has proven to be strong over the years. This fastener combination allows float on both sides of the collar slot ensuring consistent clamping force. The bolt hole angle, height of the collar and offset slot all help create a collar that generates maximum clamping force at only 25 inch pounds of fastener torque.

Great looks, great clamping, long life and no squeaking. The perfect addition to your Thomson Cockpit

- Clamp sizes 28.6, 30.0, 31.8 and 34.9mm
- Weight from 26 grams



## IRD Stingray Seat Clamps

- CNC machined Aluminium
- Stainless Steel Bolt
- Barrel keeps bolt from bending if tightened to far
- Clamp sizes 28.6, 30.0, 31.8 and 34.9mm
- Colour Black and Silver
- Weight from 24 grams



## IRD Tailfin QR Seat Clamps

- QR lever has distinctive sharktail shape
- CNC machined Aluminium
- Stainless Steel Bolt
- Barrel keeps bolt from bending if tightened to far
- Clamp sizes 28.6, 30.0, 31.8 and 34.9mm
- Colour Black and Silver
- Weight from 38 grams

